



Stock list

The following abbreviations are used:

PrW = production waste
PcW = post consumer waste
NT = off-grade quality
Vir = virgin material

AR = aramid
CF = carbon fibre
GF = glass fibre
GK = glass bead
MF = mineral
TV = talcum

FR = flame retardant (V0,V1,V2)
HH = heat stabilized
HI = high impact
UV = UV stabilized
EL = electrically conductive
AS = anti static

Subject to errors and prior sale.

The indicated quantity is an indication. Exactly weight followed after delivery / pickup.

The trade names are registered trademarks of the manufacturer.

For all our sales, our general standard terms and conditions of sale and delivery are excluding apply, which you can view at any time by www.tabar-plast.de

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|---------------|---------|----------|------|--|-----------|---------------|--------|
| ABS | | | | | | | |
| 1-44-7-6-253 | regrind | coloured | PrW | extrusion, approx. 1% PE-film, ex sheets | big bag | 20.777 | |
| 1-44-7-6-2 | regrind | coloured | PrW | extrusion, ex sheets | big bag | 14.914 | |
| 1-44-7-6-15 | regrind | coloured | PrW | extrusion, PMMA layer, ex sheets | big bag | 6.146 | |
| 1-44-7-6-16 | regrind | coloured | PrW | extrusion, TPU layer, ex sheets | big bag | 13.818 | |
| 1-44-7-6-476 | regrind | coloured | PrW | Magnum 3616 | big bag | 5.553 | |
| 1-44-21-6-51 | regrind | black | PrW | extrusion, < GF20, ex sheets | octabin | 98 | |
| 1-44-21-6-2 | regrind | black | PrW | extrusion, ex sheets | big bag | 2.342 | |
| 1-44-21-6-357 | regrind | black | PrW | Polyman, GF15 | octabin | 259 | |
| 1-44-21-6-513 | regrind | black | PrW | Rotec ABS TS 12 | octabin | 115 | |
| 1-44-32-6-15 | regrind | white | PrW | extrusion, PMMA layer, ex sheets | big bag | 2.471 | |

ASA

| | | | | | | | |
|--------------|---------|----------|-----|-----------------|---------|----|--|
| 5-44-7-6-514 | regrind | coloured | PrW | Rotec ASA S 310 | octabin | 55 | |
|--------------|---------|----------|-----|-----------------|---------|----|--|

ASA/PA

| | | | | | | | |
|----------------|-----------|----------|-----|-------------------------|---------|-------|--|
| 53-36-21-2- | granulate | black | Vir | Schulablend M/MW UV 5 Z | octabin | 9.555 | |
| 53-44-6-6-441 | regrind | brown | PrW | Schulablend | octabin | 179 | |
| 53-44-7-6-389 | regrind | coloured | PrW | Romiloy 3020/11 | octabin | 700 | |
| 53-44-21-6-389 | regrind | black | PrW | Romiloy 3020/11 | octabin | 795 | |

ETFE

| | | | | | | | |
|----------------|---------|---------|-----|------------|---------|-----|----------|
| 13-44-17-6-350 | regrind | natural | PrW | Tefzel 207 | octabin | 490 | reserved |
|----------------|---------|---------|-----|------------|---------|-----|----------|

LCP

| | | | | | | | |
|-------------|-----------|---------|-----|--------------|------|----|--|
| 18-36-17-2- | granulate | natural | Vir | Vectra E820i | bags | 85 | |
|-------------|-----------|---------|-----|--------------|------|----|--|

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|----------------|---------|----------|------|-----------------------|-----------|---------------|--------|
| PA 12 | | | | | | | |
| 23-44-7-6-290 | regrind | coloured | PrW | Grilamid LKN-3H | octabin | 444 | |
| 23-44-7-6-420 | regrind | coloured | PrW | Witcom 6G | octabin | 180 | |
| 23-44-11-6-442 | regrind | grey | PrW | Rilsamid AZM 30 T6LD | octabin | 642 | |
| 23-44-21-6-290 | regrind | black | PrW | Grilamid LKN-3H | octabin | 2.721 | |
| 23-44-21-6-511 | regrind | black | PrW | Grilamid LV-3 X ESD | octabin | 287 | |
| 23-44-21-6-500 | regrind | black | PrW | Grilamid LV-30H FWA | bags | 90 | |
| 23-44-21-6-465 | regrind | black | PrW | Vestamid HTplus R1033 | octabin | 250 | |
| PA 4.6 | | | | | | | |
| 24-44-17-6-314 | regrind | natural | PrW | Stanyl TW341 | octabin | 1.420 | sold |
| 24-44-21-6-410 | regrind | black | PrW | Stanyl TW300 | octabin | 1.446 | |

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|----------------|---------|----------|------|----------------------------|-----------|---------------|--------|
| PA 6 | | | | | | | |
| 25-44-7-6-1 | regrind | coloured | PrW | | octabin | 1.520 | |
| 25-44-7-6-491 | regrind | coloured | PrW | Altech PA6 A 2030/109 GF30 | octabin | 1.144 | |
| 25-44-7-6-101 | regrind | coloured | PrW | GF30 | octabin | 283 | |
| 25-44-7-6-468 | regrind | coloured | PrW | Ultramid B3EG6 | octabin | 243 | |
| 25-44-7-6-332 | regrind | coloured | PrW | Ultramid B3WG6 | octabin | 58 | |
| 25-44-11-6-421 | regrind | grey | PrW | Technyl Star S 60G1 V30 | octabin | 230 | |
| 25-44-17-6-512 | regrind | natural | PrW | Ultramid B3WG7 | octabin | 31 | |
| 25-44-21-6-309 | regrind | black | PrW | Akromid B3 GK 30 | octabin | 890 | |
| 25-44-21-6-374 | regrind | black | PrW | Durethan BKV30H2.0 | octabin | 363 | |
| 25-44-21-6-372 | regrind | black | PrW | Durethan BKV35H2.0 | octabin | 617 | |
| 25-44-21-6-310 | regrind | black | PrW | Miramid VE30CW | octabin | 1.731 | |
| 25-44-21-6-311 | regrind | black | PrW | Pentamid B GV10 MC20 H2 RC | octabin | 1.473 | |
| 25-44-21-6-282 | regrind | black | PrW | Schulamid 6 GF 15 H | octabin | 1 | |
| 25-44-21-6-256 | regrind | black | PrW | Schulamid 6 MV HI | octabin | 191 | |
| 25-44-21-6-346 | regrind | black | PrW | Ultramid B3HG7 | octabin | 3.691 | |
| 25-44-21-6-307 | regrind | black | PrW | Ultramid B3S | octabin | 723 | |
| 25-44-21-6-398 | regrind | black | PrW | Ultramid B3WG5 | octabin | 27 | |
| 25-44-21-6-332 | regrind | black | PrW | Ultramid B3WG6 | octabin | 892 | |
| 25-44-21-6-360 | regrind | black | PrW | Ultramid B3WM602 | octabin | 155 | |
| 25-44-21-6-308 | regrind | black | PrW | Ultramid B3ZG3 | octabin | 717 | |
| 25-44-21-6-234 | regrind | black | PrW | Ultramid B3ZG6 | octabin | 25 | |
| 25-44-21-6-397 | regrind | black | PrW | Vampamid 6 3026 V0 | octabin | 92 | |
| 25-44-21-6-359 | regrind | black | PrW | Weromid, GF20 | octabin | 1.035 | |
| 25-44-21-6-508 | regrind | black | PrW | Weromid, GF30 | octabin | 92 | |

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|-----------------|---------|----------|------|-----------------------|-----------|---------------|--------|
| PA 6.10 | | | | | | | |
| 99-44-7-6-425 | regrind | coloured | PrW | Ultramid S3K | octabin | 243 | |
| PA 6.12 | | | | | | | |
| 100-44-21-6-221 | regrind | black | PrW | Akromid D3 GF 30 1 LT | octabin | 190 | |

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|----------------|---------|----------|------|---------------------------------|-----------|---------------|--------|
| PA 6.6 | | | | | | | |
| 26-44-7-6-528 | regrind | coloured | PrW | Pentamid A L1 H | octabin | 300 | |
| 26-44-7-6-376 | regrind | coloured | PrW | Zytel 70G30HSL | octabin | 1.222 | |
| 26-44-11-6-501 | regrind | grey | PrW | Wellamid 6600-PA66-GV 20 HWV0CP | octabin | 240 | |
| 26-44-17-6-257 | regrind | natural | PrW | Ultramid A3HG7 | octabin | 13.906 | |
| 26-44-17-6-258 | regrind | natural | PrW | Ultramid A3WG6 | octabin | 40 | |
| 26-44-17-6-265 | regrind | natural | PrW | Ultramid A4H | octabin | 79 | |
| 26-44-21-6-494 | regrind | black | PrW | Akromid A3 1 S3 | octabin | 790 | |
| 26-44-21-6-496 | regrind | black | PrW | Akromid A3 GF 15 1 GIT | octabin | 413 | |
| 26-44-21-6-375 | regrind | black | PrW | Akromid A3 GF 35 | octabin | 3.625 | |
| 26-44-21-6-507 | regrind | black | PrW | Durethan AKV15H2.0 | octabin | 420 | |
| 26-44-21-6-312 | regrind | black | PrW | Durethan AKV35H2.0 | octabin | 13.186 | |
| 26-44-21-6-101 | regrind | black | PrW | GF30 | octabin | 431 | |
| 26-44-21-6-405 | regrind | black | PrW | Latamid 66 H2 G/25-V0B4 | octabin | 686 | |
| 26-44-21-6-493 | regrind | black | PrW | Schulamid 66 GF 30 H | octabin | 80 | |
| 26-44-21-6-404 | regrind | black | PrW | Schulamid 66 MV 2 | octabin | 72 | |
| 26-44-21-6-380 | regrind | black | PrW | Technyl Star AF 219 V30 | octabin | 1.033 | |
| 26-44-21-6-367 | regrind | black | PrW | Ultramid A3HG5 | octabin | 86 | |
| 26-44-21-6-257 | regrind | black | PrW | Ultramid A3HG7 | octabin | 1.650 | |
| 26-44-21-6-316 | regrind | black | PrW | Ultramid A3UG5 | octabin | 220 | |
| 26-44-21-6-258 | regrind | black | PrW | Ultramid A3WG6 | octabin | 595 | |
| 26-44-21-6-477 | regrind | black | PrW | Ultramid A3X2G10 | octabin | 511 | |
| 26-44-21-6-292 | regrind | black | PrW | Ultramid A3X2G5 | octabin | 1.150 | |
| 26-44-21-6-265 | regrind | black | PrW | Ultramid A4H | octabin | 353 | |
| 26-44-21-6-510 | regrind | black | PrW | Ziamid A3 TSZ | octabin | 185 | |
| 26-44-21-6-482 | regrind | black | PrW | Zytel 101L | octabin | 181 | |
| 26-44-21-6-376 | regrind | black | PrW | Zytel 70G30HSL | octabin | 894 | |

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|----------------|---------|--------|------|-----------------|-----------|---------------|--------|
| 26-44-21-6-393 | regrind | black | PrW | Zytel 70G35HSL | octabin | 335 | |
| 26-44-21-6-305 | regrind | black | PrW | Zytel 70G35HSLR | octabin | 876 | |
| 26-44-32-6-495 | regrind | white | PrW | Ultramid A3EG10 | octabin | 627 | |

PA 6.6/6

| | | | | | | | |
|----------------|-------------|-------|-----|---------------------------|---------|-----|--|
| 28-44-11-6-502 | regrind | grey | PrW | Ultramid C3U | octabin | 214 | |
| 28-44-21-6-331 | regrind | black | PrW | Anjacom 6.6/6 R196-H/GF30 | octabin | 212 | |
| 28-44-21-6-396 | regrind | black | PrW | Grilon TSG-30/4 V0 | octabin | 269 | |
| 28-70-21-6-150 | regranulate | black | PrW | GK30, FR | bags | 265 | |

PA 6+PA 6.6

| | | | | | | | |
|--------------|---------|----------|-----|--------|---------|-----|--|
| 72-44-7-6-63 | regrind | coloured | PrW | < GF30 | octabin | 800 | |
|--------------|---------|----------|-----|--------|---------|-----|--|

PA 6T/6.6

| | | | | | | | |
|-----------------|---------|-------|-----|--------------------|---------|-----|--|
| 110-44-21-6-492 | regrind | black | PrW | Grivory HT2V-3X V0 | octabin | 771 | |
|-----------------|---------|-------|-----|--------------------|---------|-----|--|

PA 6T/6I

| | | | | | | | |
|----------------|---------|-----------------------------|-----|-------------------|---------|-------|--|
| 11-44-37-6-432 | regrind | natural (little discolored) | PrW | Grivory HTV-6H1 | octabin | 3.377 | |
| 11-44-21-6-65 | regrind | black | PrW | Grivory HT1V-4 HY | octabin | 1.330 | |

PA 6T/XT

| | | | | | | | |
|-----------------|---------|-------|-----|--------------------|---------|-------|--|
| 111-44-21-6-481 | regrind | black | PrW | Zytel HTN51G35HSLR | octabin | 2.795 | |
|-----------------|---------|-------|-----|--------------------|---------|-------|--|

PARA

| | | | | | | | |
|---------------|---------|----------|-----|-----------|---------|-------|--|
| 10-44-7-6-416 | regrind | coloured | PrW | IXEF 1521 | octabin | 1.869 | |
|---------------|---------|----------|-----|-----------|---------|-------|--|

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|----------------|-----------|------------|------|---------------------|-----------|---------------|--------|
| PBT | | | | | | | |
| 32-36-11-2-326 | granulate | grey | Vir | Celanex 2300 GV1/30 | octabin | 355 | |
| 32-44-7-6-301 | regrind | coloured | PrW | Celanex 3300-2 | octabin | 870 | |
| 32-44-7-6-288 | regrind | coloured | PrW | Ultradur B 4406 G6 | octabin | 210 | |
| 32-44-7-6-479 | regrind | coloured | PrW | Vestodur X4877 | octabin | 118 | |
| 32-44-11-6-411 | regrind | grey | PrW | Crastin LW9130 | octabin | 1.298 | |
| 32-44-14-6-395 | regrind | light grey | PrW | Pocan B4235 | octabin | 1.879 | |
| 32-44-17-6-288 | regrind | natural | PrW | Ultradur B 4406 G6 | octabin | 701 | |
| 32-44-21-6-469 | regrind | black | PrW | Crastin SK605 | octabin | 288 | |
| 32-44-21-6-249 | regrind | black | PrW | Crastin SK645FR | octabin | 37 | |
| 32-44-21-6-437 | regrind | black | PrW | Crastin T805 | octabin | 512 | |
| 32-44-21-6-300 | regrind | black | PrW | Pocan B3235 | octabin | 580 | |
| 32-44-21-6-395 | regrind | black | PrW | Pocan B4235 | octabin | 195 | |
| 32-44-21-6-275 | regrind | black | PrW | Valox 4031 | octabin | 1.782 | |

PBT/ASA

| | | | | | | | |
|----------------|---------|-------|-----|--------------------|---------|--------|--|
| 34-44-21-6-260 | regrind | black | PrW | Ultradur S 4090 G4 | octabin | 11.993 | |
|----------------|---------|-------|-----|--------------------|---------|--------|--|

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|----------------|-----------|--------------------|------|--|------------------|---------------|--------|
| PC | | | | | | | |
| 37-36-11-2- | granulate | grey | Vir | Luvocom 50/TF/15-7284 | bags | 255 | |
| 37-36-17-2- | granulate | natural | Vir | Lastik L TF 20 SN | bags | 450 | |
| 37-36-21-2- | granulate | black | Vir | Lubricomp DBL4034 LV | bags | 300 | |
| 37-36-21-2- | granulate | black | Vir | Luvocom 50-7216 VP | bags | 1.075 | |
| 37-36-21-2- | granulate | black | Vir | Makrolon 9410 | bags | 75 | |
| 37-44-7-6-2 | regrind | coloured | PrW | extrusion, ex sheets | octabin | 1.299 | |
| 37-44-7-6-466 | regrind | coloured | PrW | Lexan EXL5689 | octabin | 45 | |
| 37-44-7-6-431 | regrind | coloured | PrW | Lexan XHR 6000 | octabin | 282 | |
| 37-44-7-6-154 | regrind | coloured | PrW | Makrolon 2405 | octabin | 996 | |
| 37-44-7-6-157 | regrind | coloured | PrW | Makrolon 9415 | octabin | 143 | |
| 37-44-14-6-431 | regrind | light grey | PrW | Lexan XHR 6000 | octabin | 326 | |
| 37-44-14-6-157 | regrind | light grey | PrW | Makrolon 9415 | octabin | 2.310 | |
| 37-44-21-6-213 | regrind | black | PrW | injection molding, GF20 | octabin | 140 | |
| 37-44-33-6-287 | regrind | translucent white | PrW | Alcom 740/4 UV | octabin | 1.085 | |
| 37-44-33-6-487 | regrind | translucent white | PrW | Lexan 103R | bags, octabin | 585 | |
| 37-44-24-6-458 | regrind | transparent | PrW | extrusion, alu layer, ex sheets | octabin | 191 | |
| 37-44-24-6-253 | regrind | transparent | PrW | extrusion, approx. 1% PE-film, ex sheets | octabin | 3.268 | |
| 37-44-24-6-2 | regrind | transparent | PrW | extrusion, ex sheets | octabin | 26.764 | |
| 37-44-24-6-487 | regrind | transparent | PrW | Lexan 103R | octabin | 320 | |
| 37-44-24-6-503 | regrind | transparent | PrW | Lexan 953A | octabin | 140 | |
| 37-44-24-6-449 | regrind | transparent | PrW | Lexan LS2 | octabin | 507 | |
| 37-44-24-6-154 | regrind | transparent | PrW | Makrolon 2405 | octabin | 376 | |
| 37-44-24-6-518 | regrind | transparent | PrW | Makrolon LED2445 | octabin | 897 | |
| 37-44-24-6-31 | regrind | transparent | PrW | injection molding | octabin | 5.296 | |
| 37-44-35-6-517 | regrind | transparent, white | PrW | Makrolon 2407 | octabin | 1.995 | |

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|----------------|---------|-------------------|------|----------------------|-----------|---------------|--------|
| 37-44-32-6-2 | regrind | white | PrW | extrusion, ex sheets | octabin | 10.068 | |
| 37-44-32-6-517 | regrind | white | PrW | Makrolon 2407 | octabin | 425 | |
| 37-44-47-6-517 | regrind | white, light grey | PrW | Makrolon 2407 | octabin | 483 | |

PC/ABS

| | | | | | | | |
|----------------|-------------|-------|-----|-----------------------|---------|-----|--|
| 93-44-21-6-467 | regrind | black | PrW | Bayblend FR1514 | octabin | 166 | |
| 93-44-21-6-70 | regrind | black | PrW | Bayblend FR3000 | octabin | 173 | |
| 93-44-21-6-48 | regrind | black | PrW | Bayblend T65 XF | octabin | 519 | |
| 93-44-21-6-185 | regrind | black | PrW | Cycloy XCY620S | octabin | 122 | |
| 93-70-21-6- | regranulate | black | PrW | Brablend FR 110, GF20 | bags | 645 | |

PC/ASA

| | | | | | | | |
|----------------|---------|----------|-----|---|---------|-----|--|
| 39-44-7-6-448 | regrind | coloured | PrW | extrusion, FR, ex thermoforming film, blister | octabin | 967 | |
| 39-44-21-6-337 | regrind | black | PrW | Werolon | octabin | 315 | |
| 39-44-21-6-504 | regrind | black | PrW | Werolon, approx. 2% TPS Chemiton PCH0NA60 | octabin | 309 | |

PC/PBT

| | | | | | | | |
|----------------|---------|----------|-----|----------------|---------|-------|--|
| 35-44-7-6-327 | regrind | coloured | PrW | Xenoy CL100 | octabin | 883 | |
| 35-44-11-6-324 | regrind | grey | PrW | Creablend-B50E | octabin | 1.785 | |

PCT

| | | | | | | | |
|--------------|---------|-------|-----|--------------|---------|-----|--|
| 109-44-21-6- | regrind | black | PrW | Thermx CG933 | octabin | 400 | |
|--------------|---------|-------|-----|--------------|---------|-----|--|

PCTG

| | | | | | | | |
|-----------------|---------|-------------|-----|--------------|---------|-------|--|
| 112-44-7-6-497 | regrind | coloured | PrW | Eastar DN004 | octabin | 616 | |
| 112-44-24-6-497 | regrind | transparent | PrW | Eastar DN004 | big bag | 1.044 | |

PE/PP

| | | | | | | | |
|---------------|---------|-------|-----|------------------------------|---------|-----|--|
| 44-44-21-6-66 | regrind | black | PrW | injection molding, < 1% foam | octabin | 370 | |
|---------------|---------|-------|-----|------------------------------|---------|-----|--|

PE+PP

| | | | | | | | |
|--------------|---------|----------|-----|-----------|---------|-------|--|
| 42-44-7-6-20 | regrind | coloured | PrW | extrusion | big bag | 4.710 | |
|--------------|---------|----------|-----|-----------|---------|-------|--|

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|----------------|-------------|-----------------------|------|---|---------------------|---------------|--------|
| PE-HD | | | | | | | |
| 46-44-7-6-2 | regrind | coloured | PrW | extrusion, ex sheets | big bag | 6.333 | |
| 46-44-7-6-54 | regrind | coloured | PrW | extrusion, TV20, ex sheets | big bag | 3.764 | |
| 46-44-17-6-2 | regrind | natural | PrW | extrusion, ex sheets | big bag | 290 | |
| 46-44-17-6-2 | regrind | natural | PrW | extrusion, ex sheets | octabin | 522 | |
| 46-44-17-6-26 | regrind | natural | PrW | extrusion, ex thermoforming film, blister | big bag | 872 | |
| 46-44-21-6-2 | regrind | black | PrW | extrusion, ex sheets | big bag | 9.928 | |
| 46-70-17-6-31 | regranulate | natural | PrW | injection molding | octabin | 585 | |
| PE-LD | | | | | | | |
| 48-44-7-6-2 | regrind | coloured | PrW | extrusion, ex sheets | octabin | 460 | |
| 48-44-21-6-2 | regrind | black | PrW | extrusion, ex sheets | octabin | 1.708 | |
| 48-70-21-6- | regranulate | black | PrW | Escorene | big bag | 1.052 | |
| 48-70-21-6-31 | regranulate | black | PrW | injection molding | octabin | 800 | |
| PESU | | | | | | | |
| 30-44-17-6-167 | regrind | natural | PrW | Ultrason E 2010 G6 | octabin | 2.359 | sold |
| PET | | | | | | | |
| 52-44-7-6-460 | regrind | coloured | PrW | Rynite 530 | octabin | 720 | |
| 52-44-21-6-463 | regrind | black | PrW | Impet 2700 GV1/20 | octabin | 325 | |
| 52-44-25-6-515 | regrind | translucent blue | PrW | Tritan | octabin | 202 | |
| PET-A | | | | | | | |
| 55-44-7-6-26 | regrind | coloured | PrW | extrusion, ex thermoforming film, blister | big bag | 10.622 | |
| 55-44-16-6-26 | regrind | metallized | PrW | extrusion, ex thermoforming film, blister | octabin | 12.056 | |
| 55-44-21-6-26 | regrind | black | PrW | extrusion, ex thermoforming film, blister | big bag | 795 | |
| 55-44-24-6-26 | regrind | transparent | PrW | extrusion, ex thermoforming film, blister | big bag | 8.379 | |
| 55-44-29-6-89 | regrind | transparent, coloured | PrW | ex bottles | octabin, big bag | 2.845 | |

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|----------------|---------|----------------------|------|---|-----------|---------------|--------|
| PET-G | | | | | | | |
| 57-44-7-6-26 | regrind | coloured | PrW | extrusion, ex thermoforming film, blister | big bag | 926 | |
| 57-44-7-6-31 | regrind | coloured | PrW | injection molding | big bag | 1.100 | |
| 57-44-25-6-26 | regrind | translucent blue | PrW | extrusion, ex thermoforming film, blister | big bag | 1.163 | |
| 57-44-40-6-253 | regrind | translucent coloured | PrW | extrusion, approx. 1% PE-film, ex sheets | big bag | 720 | |
| 57-44-24-6-20 | regrind | transparent | PrW | extrusion | big bag | 1.885 | |
| 57-44-24-6-2 | regrind | transparent | PrW | extrusion, ex sheets | big bag | 2.640 | |
| 57-44-24-6-26 | regrind | transparent | PrW | extrusion, ex thermoforming film, blister | big bag | 8.174 | |
| PET-GAG | | | | | | | |
| 97-44-24-6-26 | regrind | transparent | PrW | extrusion, ex thermoforming film, blister | big bag | 2.605 | |
| PMMA | | | | | | | |
| 59-44-7-6-253 | regrind | coloured | PrW | extrusion, approx. 1% PE-film, ex sheets | octabin | 1.716 | |
| 59-44-24-6-485 | regrind | transparent | PrW | 7N | octabin | 78 | |
| 59-44-24-6-253 | regrind | transparent | PrW | extrusion, approx. 1% PE-film, ex sheets | octabin | 1.795 | |
| 59-44-24-6-2 | regrind | transparent | PrW | extrusion, ex sheets | octabin | 1.202 | |
| 59-44-44-6-2 | regrind | transparent, black | PrW | extrusion, ex sheets | octabin | 860 | |
| 59-44-36-6-2 | regrind | white, natural | PrW | extrusion, ex sheets | octabin | 2.940 | |
| POM | | | | | | | |
| 60-44-17-6-371 | regrind | natural | PrW | Ultraform N2320 | octabin | 650 | |

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|-----------------|-------------|----------------|------|---|---------------------|---------------|--------|
| POM-Copo | | | | | | | |
| 61-44-7-6-194 | regrind | coloured | PrW | Hostaform C 9021 | octabin | 636 | |
| 61-44-11-6-351 | regrind | grey | PrW | Hostaform C 9021 GV1/30 | octabin | 88 | |
| 61-44-17-6-194 | regrind | natural | PrW | Hostaform C 9021 | octabin, big bag | 1.282 | |
| 61-44-17-6-180 | regrind | natural | PrW | Hostaform C 9021 GV3/10 | octabin | 58 | |
| 61-44-21-6-435 | regrind | black | PrW | Heraform R900 | octabin | 231 | |
| 61-44-21-6-498 | regrind | black | PrW | Hostaform C 52021 | octabin | 255 | |
| 61-44-21-6-194 | regrind | black | PrW | Hostaform C 9021 | octabin | 321 | |
| 61-70-17-6- | regranulate | natural | PrW | Braform CP TF13 Si2 | octabin | 714 | |
| PP | | | | | | | |
| 63-44-7-5-42 | regrind | coloured | PcW | injection molding, < 1% paper, ex boxes | octabin | 122 | |
| 63-44-7-6-20 | regrind | coloured | PrW | extrusion | octabin | 354 | |
| 63-44-7-6-2 | regrind | coloured | PrW | extrusion, ex sheets | big bag | 2.150 | |
| 63-44-7-6-54 | regrind | coloured | PrW | extrusion, TV20, ex sheets | octabin | 1.626 | |
| 63-44-7-6-296 | regrind | coloured | PrW | injection molding, GF20-30 | octabin | 778 | |
| 63-44-21-6-353 | regrind | black | PrW | Borealis GB205U | octabin | 680 | |
| 63-44-21-6-2 | regrind | black | PrW | extrusion, ex sheets | big bag | 3.711 | |
| 63-44-36-5-42 | regrind | white, natural | PcW | injection molding, < 1% paper, ex boxes | octabin | 4.932 | |
| PPA | | | | | | | |
| 64-44-17-6-28 | regrind | natural | PrW | Amodel AS-4133 HS | octabin | 78 | |
| PP-Copo | | | | | | | |
| 65-44-7-6-391 | regrind | coloured | PrW | ExxonMobil PP7075L1 | octabin | 106 | |
| 65-44-21-6-338 | regrind | black | PrW | Borealis MSC65T20 | octabin | 657 | |
| 65-44-21-6-83 | regrind | black | PrW | injection molding, < GF30 | octabin | 690 | |
| 65-44-21-6-266 | regrind | black | PrW | injection molding, GF30 | octabin | 3.103 | |

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|-----------------------|-----------|----------|------|---|-----------|---------------|--------|
| <u>PPE/PS</u> | | | | | | | |
| 103-36-11-2-445 | granulate | grey | Vir | Noryl PX1181 | bags | 1.100 | |
| 103-44-21-6-402 | regrind | black | PrW | Luranyl KR 2450-3 | octabin | 253 | |
| 103-44-21-6-478 | regrind | black | PrW | Noryl GFN2 | octabin | 50 | |
| 103-44-21-6-409 | regrind | black | PrW | Noryl PX1112 | octabin | 35 | |
| <u>PP-Homo</u> | | | | | | | |
| 67-44-7-6-261 | regrind | coloured | PrW | Polyfort FPP 22 T K1093 | octabin | 436 | |
| 67-44-17-6-206 | regrind | natural | PrW | Delrin 100P NC010 | octabin | 303 | |
| 67-44-21-6-278 | regrind | black | PrW | Altech PP-H A 2030/750 GF30 CP | octabin | 112 | |
| 67-44-21-6-339 | regrind | black | PrW | Hostacom PPN 1060 12 | octabin | 500 | |
| 67-44-21-6-135 | regrind | black | PrW | Hostacom X M2 U34 | octabin | 9.362 | |
| 67-44-21-6-261 | regrind | black | PrW | Polyfort FPP 22 T K1093 | octabin | 2.021 | |
| 67-44-21-6-262 | regrind | black | PrW | Polyfort FPP 22 T K1093, approx. 5% TPE | octabin | 6.386 | |
| 67-44-21-6-266 | regrind | black | PrW | injection molding, GF30 | octabin | 1.483 | |
| 67-44-21-6-358 | regrind | black | PrW | Tecnoprene AK6HI | octabin | 45 | |
| <u>PPS</u> | | | | | | | |
| 69-36-17-2-440 | granulate | natural | Vir | Fortron 1200L1 | octabin | 338 | sold |
| 69-44-17-6-325 | regrind | natural | PrW | Fortron 1140L4 | octabin | 12 | |
| 69-44-17-6- | regrind | natural | PrW | Fortron 6465A4 | octabin | 502 | |
| 69-44-17-6-366 | regrind | natural | PrW | FZ-1140-D5 | octabin | 2.371 | |
| 69-44-17-6-470 | regrind | natural | PrW | Luvocom 1301-8291 | octabin | 160 | |
| 69-44-17-6-368 | regrind | natural | PrW | Ryton R-4 | octabin | 390 | |
| 69-44-21-6-403 | regrind | black | PrW | Fortron 1130L4 | octabin | 82 | |
| 69-44-21-6-325 | regrind | black | PrW | Fortron 1140L4 | octabin | 6.535 | |
| 69-44-21-6-369 | regrind | black | PrW | Ryton BR111 | octabin | 1.212 | |

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|----------------|---------|----------|------|---|---------------------|---------------|--------|
| PS | | | | | | | |
| 71-44-7-6-412 | regrind | coloured | PrW | 124 L | octabin | 70 | |
| 71-44-7-6-486 | regrind | coloured | PrW | 171 | big bag | 1.734 | |
| 71-44-7-6-274 | regrind | coloured | PrW | extrusion, HI, < 1% paper, ex thermoforming film, blister | big bag | 665 | |
| 71-44-7-6-33 | regrind | coloured | PrW | extrusion, HI, ex sheets | big bag | 1.007 | |
| 71-44-7-6-33 | regrind | coloured | PrW | extrusion, HI, ex sheets | octabin, big bag | 3.687 | |
| 71-44-7-6-212 | regrind | coloured | PrW | extrusion, HI, ex thermoforming film, blister | big bag | 1.124 | |
| 71-44-7-6-212 | regrind | coloured | PrW | extrusion, HI, ex thermoforming film, blister | octabin | 170 | |
| 71-44-7-6-31 | regrind | coloured | PrW | injection molding | octabin | 345 | |
| 71-44-7-6-164 | regrind | coloured | PrW | injection molding, HI | octabin | 750 | |
| 71-44-7-6-263 | regrind | coloured | PrW | Styrolux 656C | octabin | 250 | |
| 71-44-21-6-212 | regrind | black | PrW | extrusion, HI, ex thermoforming film, blister | octabin | 175 | |
| 71-44-21-6-212 | regrind | black | PrW | extrusion, HI, ex thermoforming film, blister | big bag | 4.870 | |
| 71-44-21-6-284 | regrind | black | PrW | injection molding, HI, < 3% paper | octabin | 1.078 | |

PS/PE

| | | | | | | | |
|--------------|---------|----------|-----|---|---------|-------|--|
| 74-44-7-6-2 | regrind | coloured | PrW | extrusion, ex sheets | big bag | 3.901 | |
| 74-44-7-6-26 | regrind | coloured | PrW | extrusion, ex thermoforming film, blister | octabin | 617 | |
| 74-44-32-6-2 | regrind | white | PrW | extrusion, ex sheets | octabin | 3.456 | |

PSU

| | | | | | | | |
|----------------|---------|---------|-----|-----------------|---------|-----|--|
| 75-44-17-6-388 | regrind | natural | PrW | Ultrason S 2010 | octabin | 188 | |
| 75-44-21-6-176 | regrind | black | PrW | Udel P-1700 | octabin | 200 | |

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|-----------------|-----------|-------------|------|---|-----------|---------------|----------|
| PVC-hard | | | | | | | |
| 79-44-7-6-2 | regrind | coloured | PrW | extrusion, ex sheets | octabin | 154 | |
| 79-44-7-6-26 | regrind | coloured | PrW | extrusion, ex thermoforming film, blister | octabin | 1.280 | |
| 79-44-14-6-2 | regrind | light grey | PrW | extrusion, ex sheets | octabin | 2.548 | sold |
| 79-44-24-6-26 | regrind | transparent | PrW | extrusion, ex thermoforming film, blister | big bag | 11.613 | reserved |
| PVC-soft | | | | | | | |
| 80-44-7-6-118 | regrind | coloured | PrW | extrusion, ex cable sheathing | octabin | 1.420 | |
| 80-44-21-6- | regrind | black | PrW | Lifolit SG 60.0515/1 | octabin | 157 | |
| PVDF | | | | | | | |
| 104-44-20-6-381 | regrind | red | PrW | Solef 1010 | octabin | 424 | |
| 104-44-21-6-381 | regrind | black | PrW | Solef 1010 | octabin | 570 | |
| 104-44-32-6-381 | regrind | white | PrW | Solef 1010 | octabin | 200 | |
| TEEE | | | | | | | |
| 105-44-21-6-31 | regrind | black | PrW | injection molding | octabin | 122 | |
| TPC | | | | | | | |
| 90-36-17-3- | granulate | natural | NT | Hytrel 30HS | bags | 50 | |
| 90-44-7-6-383 | regrind | coloured | PrW | Hytrel | octabin | 218 | |
| TPE | | | | | | | |
| 87-44-21-6-321 | regrind | black | PrW | Lifoflex UV 70 GB 1070 | octabin | 210 | |
| 87-44-21-6-525 | regrind | black | PrW | Lifoflex UVX 56.01 B038-3 | octabin | 693 | |
| TPO | | | | | | | |
| 88-3-21-6-20 | offcuts | black | PrW | extrusion | bales | 3.275 | |

| Article-No | Form | Colour | Type | Description | Packaging | Quantity (kg) | Status |
|----------------|-----------|----------|------|-----------------------|-----------|---------------|--------|
| TPS | | | | | | | |
| 89-36-7-6-59 | granulate | coloured | PrW | Shore 30-90A, SEBS | octabin | 22.554 | |
| 89-36-17-6-61 | granulate | natural | PrW | Shore 30A-50D, SEBS | octabin | 408 | sold |
| 89-44-7-6-59 | regrind | coloured | PrW | Shore 30-90A, SEBS | octabin | 1.825 | |
| 89-44-11-6-521 | regrind | grey | PrW | Karilen E50D | octabin | 199 | |
| 89-44-17-6-522 | regrind | natural | PrW | Thermoflex 35 HH 800 | octabin | 1.200 | sold |
| 89-44-21-6-519 | regrind | black | PrW | Allruna W60 S | octabin | 348 | |
| 89-44-21-6-524 | regrind | black | PrW | Chemiton PCH0NA 60 | octabin | 294 | |
| 89-44-21-6-298 | regrind | black | PrW | Thermoflex 90 B 9000 | octabin | 1.601 | |
| TPU | | | | | | | |
| 91-44-7-6-419 | regrind | coloured | PrW | Elastollan 1154 D FHF | octabin | 680 | |
| TPV | | | | | | | |
| 92-44-21-6-520 | regrind | black | PrW | Santoprene 101-73 | octabin | 79 | |